

**CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS**

CERTIFICATE OF REGISTRATION

LABORATORY NAME AND ADDRESS

NORDX
100 CAMPUS DRIVE
SUITE 108
SCARBOROUGH, ME 04074

CLIA ID NUMBER

20D2330404

EFFECTIVE DATE

09/16/2025

LABORATORY DIRECTOR

ROBERT A. CARLSON

EXPIRATION DATE

09/15/2027

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



A handwritten signature in blue ink, appearing to read 'G. Brandush', is positioned above the printed name of the Director.

Gregg Brandush, Director
Division of Clinical Laboratory Improvement & Quality
Quality & Safety Oversight Group
Center for Clinical Standards and Quality

If this is a Certificate of Registration, it represents only the enrollment of the laboratory in the CLIA program and does not indicate a Federal certification of compliance with other CLIA requirements. The laboratory is permitted to begin testing upon receipt of this certificate, but is not determined to be in compliance until a survey is successfully completed.

**PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.
FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA.**