ADULT ASTHMA ACTION PLAN

MaineHealth

www.mainehealth.org/asthma

Asthma Action Plan for:	DOB: Da	Peak Flow Predicted
(NA/h an in dianta dua a na na na na na	th your inhalass (Fallow way	Personal best
✓ When indicated use a spacer with your inhalers ✓ Follow-up with your provider as indicated on your After Visit Summary(AVS)		
Green Zone No asthma symptoms – Able to do usual activities and sleep without having symptoms. Good!		
Avoid known triggers:		
1. Take controller medicines every	day	
Medicine	Amount	How often
2. Take these medicines prescribed by the doctor (i.e. antihistamines and nasal sprays)		
Medicine	Amount	How often
0.7.1.11. 11. 45		
	efore exercise (prime it first, if needed)	1 .
Medicine	Amount	How often
Peak Flow: more than	(80% or more of my best peak flow)	
Y (enicowy /Zionnie	s such as coughing, wheezing, shortness	
<mark> </mark> m	ay be occurring. If not better in 24-48 h	-
	eze or cough more than 2 times a month	
	more than 2 times a week (not counting	
☐ With a cough and wheeze, continue albuterol every 4-6 hours for up to 5 days.		
Remember to keep taking your green zone medicines		
1.Start rescue medicine	1.	l.,
Medicine (prime it first, if needed)	Amount	How Often
2.If not improving or symptoms worsen, increase or add the following		
Medicine	Amount	How often
Peak Flow: to (50% to 79% percent or more of my best peak flow)		
		D
RPO / CICE	may be severe or not responding to yel	low zone treatments: Danger! he skin may be pulling between the ribs or around the neck.
	- The state of cutting, from Stop coughing, to	te skill may be paining between the mas of around the neek
1. Increase rescue medicine Medicine	Amount	How often
2. You may repeat the rescue medicine in 20 minutes. If symptoms don't improve, notify your doctor or nurse. Call 911 if unable to talk to doctor or nurse right away OR go to nearest emergency room.		
Peak Flow: less than (50% of my best peak flow):		
Healthcare Provider Signature:		Phone:
Patient Signature:		Phone: